



**Rollmasta®**



**Firmadoor®**

## RESIDENTIAL AND LIGHT INDUSTRIAL ROLLING DOORS



### DESIGN OPTIONS

- The timeless Squareline and Traditional Ribbed profiles suit a large variety of home designs from classic to contemporary
- Find a colour perfect for your home with a wide range of COLORBOND® colours

### STRENGTH & DURABILITY

- Effortless operation with minimal noise and friction due to well designed running strips
- Galvanised door track
- Made from durable COLORBOND® steel for strength and durability

### SAFETY & PROTECTION

- Waist height lock with double bar locking action on Rollmasta® RIR and Firmadoor® R3F
- Firmadoor R2F has a waist-high slide bolt to enable padlock-type locking
- Soft, pliable bottom weatherseal helps stop leaves and rain entering under the door

### WIDE RANGE OF SIZES

- Available in sizes up to 5100mm wide
  - Suits openings up to 5000mm high
- } model dependent*

### PEACE OF MIND

Rollmasta® doors are covered by a 12 month warranty and Firmadoor® doors are covered by a 36 month warranty for domestic applications and surface coatings (excludes salt corrosion). In commercial or industrial applications all doors are covered by a 12 month warranty Visit [www.bnd.com.au](http://www.bnd.com.au) for full warranty terms.

The **Rollmasta®** Series 1 rolling door is the ideal choice if you are looking for a good quality rolling door at a budget price. Rollmasta rolling garage doors are strong, secure and attractive.

When you buy a **Firmadoor®** Series 2 or 3 Roll-Up door, you're buying the best in value at an affordable price. A Firmadoor garage door will enhance your home, and or business without breaking the budget.

Each door is custom made to suit your home and comes with a range of features that deliver affordable strength and durability.



**Rollmasta®**




**Firmadoor®**

## RESIDENTIAL SINGLE WIDTH ROLLER DOOR

**MODEL CODE:** R1R Rollmasta

**PROFILE:** Squareline



**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 2100, 2400, 2700 & 3000mm  
**WIDTH RANGE:** 950 to 3100mm  
**WIDTH INCREMENTS:** 5mm  
**LOCKING:** Waist High Centre Lift Lock


**DRUM TYPE:** Polymer Moulded Drum  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** Yes  
**DOOR GUIDE BLOCK:** With Side Roller

HEIGHTS	HEADROOM				SIDEROOM (mm)			DOOR WIDTH
	RECOMMENDED				E1 RECOM.	E2 (with Opener)		
	A	B	C	D		LH	RH	
to 2100mm	350	80	120	460	100	110-160	120-170*	Opening Width +60mm minimum
2400mm	370	80	120	480	100			
2700mm	370	80	120	480	100			
3000mm	370	80	120	480	100			

## RESIDENTIAL DOUBLE WIDTH ROLLER DOOR

**MODEL CODE:** R3F Firmadoor


**PROFILE:** Squareline




**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 1200, 2100, 2400, 2700 & 3000mm  
**WIDTH RANGE:** 2500 to 5100mm  
**WIDTH INCREMENTS:** 5mm  
**LOCKING:** Waist High Centre Lift Lock

**DRUM TYPE:** S3 Pressed Metal  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** Yes  
**DOOR GUIDE BLOCK:** With Double Roller

HEIGHTS	HEADROOM				SIDEROOM (mm)			DOOR WIDTH
	RECOMMENDED				E1 RECOM.	E2 (with Opener)		
	A	B	C	D		LH	RH	
to 2100mm	420	85	150	510	135	135-185	143-195*	Opening Width +100mm minimum
2101mm - 3000mm	450	85	150	540	135			



Door Roll Obtrusion Below Lintel




(Drawings not to scale)

# LIGHT INDUSTRIAL ROLLER DOOR

**MODEL CODE:** R2F Firmadoor





**PROFILE:** Traditional Ribbed



**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 1450, 2100, 2400, 3000, 3300, 3600, 4200 & 5100mm  
**WIDTH RANGE:** 1125 to 5100mm  
**WIDTH INCREMENTS:** 5mm

**LOCKING:** Waist High Internal Slide Bolt  
**DRUM TYPE:** S2 Pressed Metal  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** Yes  
**DOOR GUIDE BLOCK:** With Double Roller

HEIGHTS	A	A1	A1*	B	B1	C	D	E	F	OPERATION	DOOR WIDTH
to 2400mm	135	125	160/450	35	n/a	540	555	245	295	Hand Operated	Opening Width + 100mm minimum
3000mm	175	205	160/450	35	5	620	565	310	310	Direct Drive Chain	
3300mm	195	225	160/450	35	5	620	565	310	310	Planetary Gearing Chain	
3301 to 4200mm	195	225	160/450	35	5	620	585	310	310		
4201 - 5100mm	210	225	160/450	35	5	620	615	310	325		



**A1:** Denotes sideroom required for installation of inside/outside mounted 1/2 HP motor. Left hand operation only.

**B:** Denotes non geared end of the curtain.

**B1:** Denotes geared end of the curtain.

For further details please refer to the installation instructions on our website [www.bnd.com.au](http://www.bnd.com.au)

## Automation.

It is important to partner your B&D® door with a genuine B&D® Group automatic opener.

- Includes 2 premium remotes and a wall button
- Smart Phone Control compatible
- Battery Back Up compatible



B&D Controll-A-Door® Power Drive opener. This suits R1R Rollmasta & R3F Firmadoor in residential applications



GDO-12 Hiro™ suits Rollmasta and Firmadoor in residential and light industrial applications including wind-locked doors up to 22sqm

# Colour options.




Rollmasta®




Firmadoor®

## Colorbond®



DOVER WHITE\*



SURFMIST®



SHALE GREY™




CLASSIC CREAM™



PAPERBARK®



DUNE®




WOODLAND GREY®



DEEP OCEAN®



IRONSTONE®



MONUMENT®



SANDBANK®\*



STONE®\*




EVENING HAZE®



COVE®



PALE EUCALYPT®




MANGROVE®




COTTAGE GREEN®




GULLY®




WALLABY®




JASPER®



TERRAIN®



MANOR RED®




LOFT®\*



WINDSPRAY®



BASALT®



NIGHT SKY®

The COLORBOND® steel colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. COLORBOND® and ® colour names are registered trade marks of BlueScope Steel Limited. B&D® recommends you visit your nearest B&D® Accredited Dealer to view a sample. \*A surcharge applies to these colours.

Your B&D Representative is:

For more details on these products or our other ranges, call 13 62 63 or visit [www.bnd.com.au](http://www.bnd.com.au)

### NOTES / INFORMATION

In normal residential and industrial/commercial use, are covered by a 1 year warranty on locking mechanism and all other components (excluding steel door curtain and associated labour). Warranty for steel door curtain, covering steel cracking and lock seam failure and associated labour is covered for Firmadoor Roll-Up door – 3 years, Rollmasta – 1 year

B&D Doors & Openers is a division of B&D Australia Pty Ltd, ABN 25 010 473 971 © 2016 B&D Australia. B&D Doors and Openers, B&D, Controll-A-Door, Controll-A-Door Power Drive, Hiro and Roll-A-door are registered trade marks of B&D Australia Pty Ltd.

Controll-A-Door® Power Drive motors come with a 7 year/20,000 cycles warranty, GDO-12 Hiro™ 2 year /10,000cycles warranty and accessories are warranted for 12 months. Full warranty details and terms and conditions can be found at [www.bnd.com.au](http://www.bnd.com.au)

home  
safe  
home™